

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Poly- condensation Degree of Polyglycerol	Number of Alcoholic groups in Polyglycerol	Number of Additional Esters											
		1 (Mono)	2 (Di)	3 (Tri)	4 (Tetra)	5 (Penta)	6	7	8	9	10	11	12
2	4	25.0	50.0	75.0	100.0								
3	5	20.0	40.0	60.0	80.0	100.0							
4	6	16.7	33.3	50.0	66.7	83.3	100						
5	7	14.3	28.6	42.9	57.1	71.4	86	100					
6	8	12.5	25.0	37.5	50.0	62.5	75	88	100				
7	9	11.1	22.2	33.3	44.4	55.6	67	78	89	100			
8	10	10.0	20.0	30.0	40.0	50.0	60	70	80	90	100		
9	11	9.1	18.2	27.3	36.4	45.5	55	64	73	82	91	100	
10	12	8.3	16.7	25.0	33.3	41.7	50	58	67	75	83	92	100



Fig. 7

Toner	Added Wax	Fixation Ratio at Respective Flash Input Voltage Values				
		1,350 V	1,450 V	1,550 V	1,650 V	1,750 V
A-1	Polyglycerol esters represented by the formula (I), wherein $n=10$ , esterification degree is 67 %, and each $X_1$ and $X_2$ is an aliphatic hydrocarbon with 22 carbons	79.4	91.4	92.4	95.8	98.3
A-4	None	46.5	62.1	72.7	88.8	91.8

Fig. 8




Fig. 9

